

MODEL NUMBER	PERFORMANCE						ELECTRICAL REQUIREMENTS						FEATURES						CABINET SIZE (IN.)			WINDOW OPENING (IN.)		WEIGHT				
	Cooling Area	BTUH Cooling	BTUH Heating	E.E.R.	Pints Per Hour	Room Air Delivery (CFM Max.)	Voltage	Amps Cooling	Amps Heating	Watts Cooling	Watts Heating	Plug Cap. Amps	Receptacle	Air Exchanger	Air Direction	Fan Speed	Adjustable Thermostat	Window Mount Type	Slide-Out Chassis	Slide-Out Filter	Additional Features	Width	Depth*		Height	Width (Min/Max)	Height (Min)	Net/Ship Weight (lbs)
X CHASSIS	A3X05F2A	150	5000	-	9.7	1.4	160	115	5.0	-	515	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	-	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	42 47
	A6X05F2B	150	5200	-	9.7	1.4	160	115	5.0	-	515	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	EL	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	42 47
	A7X05F2A	150	5200	-	10.7	1.4	160	115	5.6	-	505	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	EL/★	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	42 47
	A6X06F2A	200	6000	-	9.7	1.4	180	115	5.6	-	618	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	EL	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	42 47
	A7X06F2A	200	6000	-	10.7	1.4	200	115	5.0	-	618	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	EL/★	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	47 52
	A6X08F2A	340	8000	-	9.8	1.4	215	115	7.0	-	815	-	125/15	A	-	2 Way	2	✓	Flex	-	✓	EL	18 ⁵ / ₈	15 ¹ / ₂	12 ¹ / ₄	19 36	12 ³ / ₄	47 52
Q CHASSIS	AEQ08F2E	340	8000	4000	9.8	2.4	260	115	7.5	12.0	815	1380	125/15	A	-	4 Way	2	✓	Flex	-	✓	EL/HC	20	19 ⁷ / ₈	12 ¹ / ₂	20 ¹ / ₄ 39	13	60 65
	A7Q08F2A	340	8000	-	10.8	2.6	260	115	7.0	-	740	-	125/15	A	✓	4 Way	3	✓	Flex	-	✓	EL/★	20	19 ⁷ / ₈	12 ¹ / ₂	20 ¹ / ₄ 39	13	60 65
	A6Q10F2A	450	10000	-	9.8	3.3	260	115	9.0	-	1020	-	125/15	A	✓	4 Way	3	✓	Flex	-	✓	EL	20	19 ⁷ / ₈	12 ¹ / ₂	20 ¹ / ₄ 39	13	60 65
Y CHASSIS	A7Y10F2A	450	10000	-	10.8	3.4	255	115	9.0	-	925	-	125/15	A	✓	4 Way	3	✓	Flex	✓	✓	EL/★	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	92 96
	A6Y12F2A	550	12000	-	9.8	3.2	262	115	11.0	-	1275	-	125/15	A	✓	4 Way	3	✓	Flex	✓	✓	EL	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	95 100
	A7Y12F2A	550	12000	-	10.8	3.2	262	115	10.7	-	1110	-	125/15	A	✓	4 Way	3	✓	Flex	✓	✓	EL/★	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	90 95
	A6Y12F7A	550	12000	-	9.8	3.1	262	230 208	5.6	-	1224	-	250/15	B	✓	4 Way	3	✓	Flex	✓	✓	EL	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	90 95
	A7Y12F7A	550	12000	-	10.8	3.2	262	230 208	5.6	-	1110	-	250/15	B	✓	4 Way	3	✓	Flex	✓	✓	EL/★	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	90 95
	AEY12F7E	550	12000 10200 8700	10200 8700	9.8	3.7	262	230 208	5.6 12.3	13.4 12.3	1110 1175	3180 2870	250/20	C	✓	4 Way	3	✓	Flex	✓	✓	EL/HC	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	97 102
	A7Y15F2A	750	14500	-	10.7	4.9	280	115	12.0	-	1355	-	125/15	A	✓	4 Way	3	✓	Flex	✓	✓	EL/★	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	102 108
	A6Y18F7A	1000	18000 17500	-	9.7	5.9	325	230 208	8.0 8.5	-	1855 1805	-	250/15	B	✓	4 Way	3	✓	Flex	✓	✓	EL	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	103 108
	AEY18F7F	1000	17500 17000	10200 8700	9.7	5.9	325	230 208	7.9 8.5	13.4 12.3	1855 1805	3180 2870	250/20	C	✓	4 Way	3	✓	Flex	✓	✓	EL/HC	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	110 115
AEY18F7E	1000	17500 17000	10200 8700	9.7	5.9	325	230 208	7.9 8.5	22.2 20.3	1855 1805	5100 4300	250/30	D	✓	4 Way	3	✓	Flex	✓	✓	EL/HC	23 ⁵ / ₈	21 ³ / ₄	15	23 ³ / ₈ 42	15 ⁵ / ₈	110 115	
D CHASSIS	A7D18E2A	1000	17300	-	11.0	5.6	525	115	12.0	-	1572	-	125/15	A	✓	4 Way	3	✓	Rigid	✓	✓	EL/★	26 ¹ / ₂	25 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	125 130
	A7D18E7B	1000	17500	-	10.7	5.5	525	230 208	8.5	-	1635	-	250/15	B	✓	4 Way	3	✓	Rigid	✓	✓	EL/★	26 ¹ / ₂	25 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	125 130
	A6D24E7A	1400	24000	-	8.5	8.5	550	230 208	13.5 14.4	-	2830 2765	-	250/20	C	✓	4 Way	3	✓	Rigid	✓	✓	EL	26 ¹ / ₂	25 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	155 160
	A7D24E7B	1400	24000	-	9.35	8.5	575	230 208	11.2 12.1	-	2553	-	250/20	C	✓	4 Way	3	✓	Rigid	✓	✓	EL/★	26 ¹ / ₂	25 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	155 160
	AED24E7E	1400	23500 24000	16000 13400	8.5	8.2	550	230 208	13.5 14.4	22.8 20.9	2830 2765	5200 4280	250/30	D	✓	4 Way	2	✓	Rigid	✓	✓	EL/HC	26 ¹ / ₂	25 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	155 160
	A6D30E7A	1600	28500	-	8.5	10.2	550	230 208	14.0	-	3350	-	250/20	C	✓	4 Way	3	✓	Rigid	✓	✓	EL	26 ¹ / ₂	27 ³ / ₈	17 ¹ / ₄	26 ¹ / ₄ 40	18 ⁵ / ₈	185 200
K	A6K32E7A	1600	32000	-	8.5	10.0	700	230 208	18.0	-	3760	-	250/30	D	✓	4 Way	2	✓	Rigid	✓	-	EL	27	33 ¹ / ₂	20 ⁵ / ₈	27 ¹ / ₄ 40	21	220 234
V CHASSIS	A6V05S2A	150	5000	-	9.5	1.6	220	115	5.4	-	525	-	125/15	A	✓	4 Way	3	✓	Slider	-	-	EL	14 ¹ / ₂	24 ¹ / ₄	20 ¹ / ₂	15 ¹ / ₂ min	21	82 86
	A6V08S2A	340	8000	-	9.5	2.5	240	115	7.5	-	842	-	125/15	A	✓	4 Way	3	✓	Slider	-	-	EL	14 ¹ / ₂	24 ¹ / ₄	20 ¹ / ₂	15 ¹ / ₂ min	21	82 86
	A6V10S2A	450	10000	-	9.5	3.1	300	115	10.0	-	1050	-	125/15	A	✓	4 Way	3	✓	Slider	-	-	EL	14 ¹ / ₂	24 ¹ / ₄	20 ¹ / ₂	15 ¹ / ₂ min	21	100 106
	A6V12S2A	550	12000	-	9.5	4.1	300	115	11.5	-	1265	-	125/15	A	✓	4 Way	3	✓	Slider	-	-	EL	14 ¹ / ₂	24 ¹ / ₄	20 ¹ / ₂	15 ¹ / ₂ min	21	100 106
A&B CHASSIS	A1A07W2B	240	7000	-	9.0	1.9	200	115	7.5	-	780	-	125/15	A	-	360°	2	✓	Wall	-	-	-	27	16 ³ / ₄	16 ³ / ₄	N/A	N/A	83 89
	A1A10W2C	450	10000	-	9.0	2.4	200	115	10.0	-	1175	-	125/15	A	-	360°	2	✓	Wall	-	-	-	27	16 ³ / ₄	16 ³ / ₄	N/A	N/A	83 89
	A1A10W7B	450	10000	-	8.5	2.9	200	230 208	5.6 6.1	-	1175	-	250/15	B	-	360°	2	✓	Wall	-	-	-	27	16 ³ / ₄	16 ³ / ₄	N/A	N/A	91 97
	A1B12W7B	550	11500	-	8.5	3.2	230	230 208	7.5	-	1352	-	250/15	B	-	360°	2	✓	Wall	-	-	-	27	19 ³ / ₄	16 ³ / ₄	N/A	N/A	96 103
WALL MODULE	A7U08W2A	340	8000	-	9.4	1.3	200	115	7.5	-	850	-	125/15	A	-	4 Way	3	✓	Wall	-	✓	EL/★	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	A7U10W2A	450	10000	-	9.4	2.8	300	115	10.0	-	1063	-	125/15	A	-	4 Way	3	✓	Wall	-	✓	EL/★	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	A7U10W7A	450	10000	-	9.4	2.8	300	230 208	6.0 6.5	-	1063	-	250/15	B	-	4 Way	3	✓	Wall	-	✓	EL/★	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	AE7U10W7E	450	10000 9800	10200 8200	9.4	2.8	300	230 208	6.0 6.5	14.0 12.5	1063 1042	3200 2600	250/20	C	-	4 Way	3	✓	Wall	-	✓	★/HC	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	A6U12W2A	550	11500	-	9.0	3.2	320	115	12.0	-	1275	-	125/15	A	-	4 Way	3	✓	Wall	-	✓	EL	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	A6U12W7A	550	11500	-	9.0	3.2	320	230 208	6.5 6.9	-	1275 1090	-	250/15	B	-	4 Way	3	✓	Wall	-	✓	EL	24 ³ / ₈	21	14 ¹ / ₂	N/A	N/A	90 95
	AE6U12W7E	550	11500 9800	10000 8200	9.0	3.2</																						